

Product Datasheet model i-vo 9160 043**UVEX ARBEITSSCHUTZ GMBH,
Würzburger Str. 181-189, D-90766 Fürth**

Product characteristics	<ul style="list-style-type: none">* Duo-spherical lens* Duo component technology* Extremely comfortable for all-day wear* Shock absorbing brow guard* Indirect ventilation* Quattroflex patented temple* Adjustable temple length and lens inclination* Grey lens tint ensures perfect colour recognition
Technical details	
Frame	
Material	Front piece TPU/TPE
Colour	black/green
Material	Side piece PC
Features	length adjustability
Colour	black

Material	Temple
Features	TPU/TPE
Colour	quattroflex temple black/green
Manufacturer's ID code	Marking
Applicable EN norm	W
Low-energy impact	166
Resistance to high speed particles at extremes of temperat.	F (45 m/s)
Conformity symbol	T
No. of certificat. Body	CE
	0196
Lens	
Material	PC
Thickness	3 mm
Coating	infradur plus
Colour	grey
Filter	Marking
Manufacturer's ID code	3 (DIN EN 169)
Optical class	W
Low-energy impact	1
Resistance to high speed particles at extremes of temperat.	F (45 m/s)
Surface resistance to fine particles	T
Antifog	K
Conformity symbol	N
	CE

Miscellaneous

Weight

33 g

Packing

5 spectacles per box

Standards

200 spectacles per cardboard box

DIN EN 166 + DIN EN 169