

PRODUCT NUMBER: 2318770 **VERTIGO GREY LONG PU 3**

Handling of sharp parts in dry or greasy conditions.

Honeywell

Overview

Reference Number

2318770

Product Type

Gloves

Range

Cut and Puncture Protection

Line

Cut resistant

Brand

Honeywell

Brand formerly known as

SPERIAN

Industry

- Automotive and Part Manufacturer
 Aviation
 Building and Construction
 Catering
- Energy or Electricity Glass Industries Logistics Maintenance
 Metal steel
 Paper Industries
- Services Telecoms Transportation Utilities

Product Use

Handling of sharp parts in dry or greasy conditions.

Features & Benefits

Feature

White Spectra®/lycra® knitted glove Grey polyurethane coating on the palm and fingers tips Long wrist 11 cm

Benefit

COMFORT

The knitting technique helps to obtain a glove that conforms snugly to the hand, with good dexterity.

The glove offers maximum comfort and added sturdiness.

The cool Spectra® touch gives an added sensation of comfort.

VERTIGO GREY LONG PU 3 - 2318770

The glove's ventilated back optimises its breathability.

RESISTANCE

The Spectra®/lycra® thread provides outstanding properties against cutting.

The polyurethane coating at the palm and fingertips provides outstanding abrasion resistance.

The long wrist protects the forearm.

Caution! Do not expose this glove to the heat.

HYGIENE

The coating grey colour enables to work in a soiled environment.

Technical Description

Description

CE CATEGORY: II Intermediary risks In accordance with standards: EN 420-2003 EEC Basic standards EN 388-2003 Mechanical hazards

CHARACTERISTICS:

White Spectra®/lycra® knitted glove Grey polyurethane coating on the palm and fingers tips Long wrist 11 cm

Product Technology

Knitted Coated

Gauge

13

Glove/liner color

White and grey

Coating Type

Spectra®, elastane® and polyuréthane

Length

27 cm

Harmlessness

In conformity with the European standards.

Dexterity

Class 5

Sizes

6 to 11

EN 388 - Mechanical Hazards Abrasion Resistance

Abrasion resistance	4
Cutting resistance (Coupe test)	3
Tear resistance	4
Puncture resistance	2

Packaging Label

Tagging

CE HONEYWELL 2232246 XX EN 420 EN 388 : 4342

Certifications

■ E.C. Declaration of Conformity

EC Category PPE

Quality Assurance ISO 9001 / 2000

EC Attestation

△ AET 2318770

Additional Information

User Manual

UI 102

User Information Sheet

102

Maintenance

Storage InformationMinimum packaging 10 pairs. Cartons of 100 pairs.

Care Instructions

This article can be cleaned. For cleaning instructions please contact Honeywell Safety Products.

Honeywell International Inc.



In application of the Directive ref. 89/686/EEC of the 21st of December 1989, concerning the alignment of member state legislation relating to personal protective equipment and the decrees n° 92-765, 766 and 768 of 29th of July 1992 concerning the transposition of this Directive into French law,

CTC

4,rue Hermann Frenkel - 69367 Cedex 07 - France
Tel +33 (0)4 72 76 10 10 - Fax +33 (0)4 72 72 76 10 00 - E-Mail : ctclyon@ctcgroupe.com - www.ctc.fr

authorized by decrees of the Ministry of Work, Employment and Health of the 20th of December 2010, registered under the number 0075, published in OJEC, delivers:

EC-TYPE EXAMINATION CERTIFICATE 0075/797/162/02/16/0131 - EXT 02/07/16

To the following model of personal protective equipment :

* reference of the model :

2318770

* protective glove against

mechanical risks.

* Manufacturer

HONEYWELL SAFETY PRODUCTS EUROPE

Immeuble Edison ZI-Paris Nord II 33, Rue des Vanesses 95 958 ROISSY France

Description of the protective glove, reference of technical rules verified in the context of the CE type examination and informations indicated on the product are detailed in the following pages of this certificate.

Drawn up in Lyon, on July 13th, 2016

Issued by Lionel GAUDILLERE



NOTA: Any modification to new items of the personal protective equipment object of this CE type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the CE type approval certificate (change of adress, change of company status) should be brought to the attention of the notified body in accordance with law n° R_s 4313-38 of the French Code of Work.



1. DESCRIPTION OF THE PROTECTIVE GLOVE

According to the technical file index : 01

Reference : 2318770

Minor Variant of the model:2318767

Dated: JUNE 2016

Knitted glove with Polyethylene high tenacity / lycra yarns.PU coating in grey color, on the palm and fingertips. Blue elastic wrist 60mm + overlock:T06-green, T07-red, T08-blue, T09-yellow, T10-white, T11 orange

Available sizes:

06 07 08 09 10 11

Visual description:



Material:

	Color	Material	Gauges	Thickness
PALM	Natural	Polyethylene high tenacity/lycra	13	
	Grey	PU		1,1mm
BACK	Natural	Polyethylene high tenacity/lycra	13	
CUFF	Natural	Polyethylene high tenacity/lycra	13	
	Blue	elastic rubber	13	
BINDING	green/red/blue/yello w/white/orange	PES		



2. PROTECTION SCOPE

Compliance with the essential requirements of the Directive 89/686/EEC has been verified by using following technical rules:

- * EN 420:2003+A1:2009
- General requirements for gloves and test methods

* EN 388:2003

- Protective glove against mechanical risks
- * At the date of certificate the product is in compliance with Annex XVII of REACh regulation (n° 1907/2006 and revisions)
- * This product is a category II.

References of test reports performed in order to verify the compliance with the requirements of the technical rules:

Laboratory	СТС	Other
EN 420	L160610024_1 L151016615_1 L151016616_1	
Azo	L150609368-1 L151016616_1	
EN 388	L151016615_1 L160100138_1	S151210954_3
OTHER	L160610025_1 L151016616_1 L1510_16589 L160508559_1	

Performance levels offered against mechanical risks (EN 388:2003) are:

Abrasion resistance	Blade cut resistance	Tear strength resistance	Puncture resistance
4	3	4	2

The levels of performance have been measured on the palm



3. MARKING


Each glove is clearly marked with the following information:

- * Logo of the authorized representative:
- * **(€** marking
- * reference of the model:

2318770

- * size
- * pictogram for mechanical risks followed by the performance levels
- * information pictogram

Marking example:



HONEYWELL SAFETY PRODUCTS EUROPE

MANUFACTURER'S TECHNICAL FILE

Reference of the product 2318770

Technical file index 01

JUNE 2016 Last update

IDENTIFICATION

2318770 Reference of the product: Minor Variant of the model: 2318767

Technical file index: 01

JUNE 2016 Last update:

Manufacturer:

HONEYWELL SAFETY PRODUCTS EUROPE

Immeuble Edison ZI-Paris Nord II 33, Rue des Vanesses 95 958 ROISSY CDG CEDEX

France

01.49.90.79.79 tel: 01.49.90.79.80 fax:

Factory:

HONEYWELL SAFETY PRODUCTS (NANTONG) CO., LTD.

North of Yalujiang Road, Rudong Economic Development Zone, Rudong, Nantong

China

tel: fax:

GLOVE DESCRIPTION

Glove description:

Knitted glove with Polyethylene high tenacity / lycra yarns.PU coating in grey color, on the palm and fingertips. Blue elastic wrist 60mm + overlock:T06-green, T07-red, T08-blue, T09yellow, T10-white, T11 orange

Visual description:



Available sizes:

Minimum length of glove (mm)	Sizes
255	06
260	07
265	08
280	09
285	10
290	11

Glove constitution:

	Reference	Color	Material	Surfacic mass	Gauges	Thickness
PALM	2915202	Natural	Polyethylene high tenacity/lycra		13	
	2916143	Grey	PU			1,1mm
BACK	2915202	Natural	Polyethylene high tenacity/lycra		13	
CUFF	2915202	Natural	Polyethylene high tenacity/lycra		13	
	3000018	Blue	elastic rubber		13	
BINDING	2915151	green/red/blue /yellow/white/o range				

PROTECTION SCOPE

This glove meets the essential requirements of the Personal Protection Equipment Directive (89/686/CE).

This glove is designed for mechanical risks. It is a category II product.

GENERAL REQUIREMENTS

Standard EN 420 : 2003 + A1 : 2009

Dexterity:

PH of glove and lining is greater than 3.5 and lower than 9.5:

yes

Chromium VI lower than the detection limit:

conform

Size: conform

At the date of certificate the product is in compliance with Annex XVII of REACh regulation (n° 1907/2006 and revisions)

SPECIFIC REQUIREMENTS AND PERFORMANCE LEVELS

Mechanical hazard EN 388: 2003

Protection offered	Performance levels
Abrasion resistance	4
Blade cut resistance	3
Tear strength resistance	4
Puncture resistance	2

The levels of performance have been measured on the palm

TEST REPORTS

Laboratory	стс	Other
EN 420	L160610024_1 L151016615_1 L151016616_1	
Azo	L150609368-1 L151016616_1	
EN 388	L151016615_1 L160100138_1	S151210954_3
OTHER	L160610025_1 L151016616_1 L1510_16589 L160508559_1	

MARKING - PACKAGING

Information printed on the glove :

Logo of the authorized representative :

Logo (€

Glove's reference: 2318770

Size indicator

Pictograms related to risks against which protection is offered with performance levels

Information pictogram

Marking example:



Method of marking on the glove :

on the label inside

Packaging:

10 pairs per bundle, 10 bundles per box

MEANS OF CONTROL

Final inspection plan : in accordance to ISO 2859 level 1 Major defects : NQA = 1.5 / Minor defects : NQA = 10.

Sampling Plan		Quantity of acceptable defects		
Lot Quantity	Sample quantity	Minor Defects	Major Defects	
110 to 200	D8	2	0	
201 to 500	F 20	5	11	
501 to 1200	G 30	7	1	
1201 to 10000	J 80	14	3	
10000	K 125	21	5	



E.C. Declaration of Conformity

The manufacturer or its legal representative supplier in the European Community:

Honeywell Safety Products Europe

<u>Declares that the Personal Protective Equipment described here after conforms to the provisions of the European Council Directive 89/686/CEE:</u>

Designation: VERTIGO GREY LONG PU 3

Reference: 2318770

Standard(s): EN 388, EN 420

This PPE is the object of the below EC examination certificate n°:

Delivered by:

CENTRE TECHNIQUE DU CUIR 4 rue Hermann Frenkel 69367 LYON Cedex 07 France

Drawn up in Lyon, on the 24/04/2018

By: Fabrice Beaugeard

Division: Gloves

ZI Paris Nord II 33, rue des Vanesses BP 50288 95958 Roissy CDG France Tel: +33 (0) 49 90 79 79 Fax: +33 (0)1 49 90 79 80 www.honeywellsafety.com