

TECHNICAL SPECIFICATION

RESPIRATORY PROTECTION



Force™ 8 Half Mask Respirator

Medium (F8-820) / Code: BHT003-0L5-000



DESCRIPTION

The Force™8 twin cartridge half mask with Typhoon™ valve offers superior low breathing resistance and incorporates a 4-point suspension harness with quick release buckles. The mask accepts the full range of Force™ filters, including PressToCheck™ and PressToCheck™ Compact ranges, providing protection against particulates, many gases and vapours.

OPTIONS

Small (F8-810) (BHG003-1L5-000)

Medium (F8-820) (BHT003-0L5-000)

Large (F8-830) (BHG003-2L5-000)

Short Wide (F8-840) (BHG002-0L5-000)

DOWNLOADS

 [Image Pack \(ZIP\)](#)

 [Declaration of Conformity \(PDF\)](#)

VIDEO

 www.youtube.com/watch?v=s13lbaWBKOM

 youtu.be/1Y9G8E9kEXQ

 youtu.be/Ecyu_ftPPX4

 youtu.be/-oUSyP9_NsA




FEATURES



Superior Comfort & Fit

Durable thermoplastic rubber mask available in three sizes for superior fit to most face shapes. Fully adjustable 4-point cradle suspension ensuring an effective facial fit.



Typhoon™ valve

Low resistance exhalation valve for easy breathing. Made from silicone it performs well at very low temperatures.



Compatibility

The low-profile, swept-back design Force™8 PressToCheck™ enables excellent visibility, allowing the filters to be worn effectively behind all types of faceshield and welding visor.




Filter Compatibility

Fully compatible with PressToCheck™ twin filter cartridges, providing daily face fit reassurance with the easiest way to check the seal each time the mask is donned. Fit it - Press it - Check it.



Effortless Maintenance

The Force™8 half mask has been meticulously engineered to incorporate a small number of key components. Disassembly, cleaning and maintenance are effortless with replacement parts available if necessary.



Available in 4 Sizes

Available in Small, Medium, Large and Short/Wide to provide an even better fit to a wider range of face sizes and shapes improving the seal and level of protection. A size guide is available for use with Force™ respirator masks.

COMPATIBLE PRODUCTS

EVO® Gas Goggle

EVO® Goggle Double Lens

EVO® Goggle Single Lens

EVO® VISTALens® Micro Peak Revolution® Wheel Ratchet Non Vented

SAFETY STANDARDS

EN 140

SPECIFICATIONS

Usage

R



Exhalation Valve

Typhoon Valve

Mask Design

Single Piece Over-Moulded Twin Filter Half Mask



Nose Bridge

Moulded



4 Point Harness adjustment system

Yes



BSI Kitemark

Yes

Mask Material

Thermoplastic Elastomer & Acrylonitrile butadiene styrene (ABS)

Latex free

Yes

Metal Free

Yes



Product Weight

87g

APPLICATIONS

Aerospace

Agricultural

Airports

Construction and Infrastructure

Facilities Management

Food and Drink Manufacturing

Hospitals, Healthcare & Pharmaceuticals

Law Enforcement

Manufacturing

Maritime

Mining, Aggregates and Quarrying

Oil, Gas and Chemical Companies

Rail and Tunnelling

Renewable, Wind and Solar Energy

Scaffolding and Roofing

Sole Trader

Utilities Contractors

Welding

RANGE



JSP Limited. Worsham Mill, Minster Lovell, Oxford OX29 0TA, England.
Tel: +44 (0)1993 826050 / Fax: +44 (0)1993 824411 / Email: sales@jsp-safety.com / Web: www.jsp-safety.com
Do Not Publish without written permission from JSP Limited. Contact copyright@jsp-safety.com.
Information correct in the United Kingdom at date of issue and may be subject to change. Any third-party machine and automated translations processed by users may have inaccuracies and should not be relied upon.
Page 2 of 3 / Issued 27 Jan 2021 / Copyright 2018 - 2021. JSP Limited. All Rights Reserved.



EVO® VISTAlens® DualSwitch™ Micro Peak Revolution®
Wheel Ratchet Vented

EVO® VISTAlens® Micro Peak Revolution® Wheel Ratchet
Linesman

EVO® VISTAlens® Micro Peak Revolution® Wheel Ratchet
Vented

EVO® VISTAlens® Micro Peak Revolution® Wheel Ratchet
Vented CR2

EVO® VISTAlens® Micro Peak Revolution® Wheel Ratchet
Vented Special Badge Holder with Lamp Bracket

EVO® VISTAshield® Micro Peak Revolution® Wheel Ratchet
Non Vented

EVO® VISTAshield® DualSwitch™ Micro Peak Revolution®
Wheel Ratchet Vented

EVO® VISTAshield® Micro Peak Revolution® Wheel Ratchet
Vented

EVO® VISTAshield® Micro Peak Revolution® Wheel Ratchet
Vented Linesman CR2 Special Badge Holder with Lamp
Bracket

EVO® VISTAshield® Micro Peak Revolution® Wheel Ratchet
Vented Linesman Special Badge Holder with Lamp Bracket

Force™ 8 Belt Bag (Holds mask & Filters)

PressToCheck™ A2 P3 Filters

PressToCheck™ ABEK1 P3 Filters

PressToCheck™ Compact P3 Filters with Odour Layer

PressToCheck™ P3 Dust Filters

Stealth™ 16G

Stealth™ 7000

Stealth™ 8000

Stealth™ 9000

Stealth™ Coverlite™ Overspec

Thermex™ Double Lens Goggle



ACCESSORIES

Force™ 8 Belt Bag (Holds mask & Filters)

JSP Respirators Storage Container

Force™ Size Guide

PressToCheck™ A2 P3 Filters

PressToCheck™ ABEK1 P3 Filters

PressToCheck™ Compact P3 Filters with Odour Layer

PressToCheck™ P3 Dust Filters

Portacount/AccuFIT Quantitative/Qualitative Face Fit Testing
Kit & Spares

PPE Cleaning Station & Accessories



JSP Limited. Worsham Mill, Minster Lovell, Oxford OX29 0TA, England.

Tel: +44 (0)1993 826050 / Fax: +44 (0)1993 824411 / Email: sales@jspsafety.com / Web: www.jspsafety.com

Do Not Publish without written permission from JSP Limited. Contact copyright@jspsafety.com.

Information correct in the United Kingdom at date of issue and may be subject to change. Any third-party machine and automated translations processed by users may have inaccuracies and should not be relied upon.

Page 3 of 3 / Issued 27 Jan 2021 / Copyright 2018 - 2021. JSP Limited. All Rights Reserved.

