

# PRODUCT NUMBER: 2032101 JUNKYARD DOG

For heavy handling of sharp or perforating parts in a dry or greasy atmosphere.

# Honeywell

Overview
Reference Number 2032101
Product Type Gloves
Range Cut and Puncture Protection
Line Cut resistant
Brand Honeywell
Brand formerly known as SPERIAN
Industry
<ul> <li>Industry</li> <li>Automotive and Part Manufacturer</li> <li>Building and Construction</li> <li>Glass Industries</li> <li>Iron and steel industry</li> <li>Metal steel</li> <li>Paper Industries</li> </ul>
Product Use

For heavy handling of sharp or perforating parts in a dry or greasy atmosphere.

# **Features & Benefits**

#### Feature

100% Kevlar® knitted glove Cowhide split leather reinforcement on palm and fingers

# Benefit

COMFORT

The knitting technique helps to obtain a glove that conforms snugly to the hand and good dexterity. The glove offers maximum comfort and added sturdiness. The glove's thickness (gauge 7) helps to absorb shocks.

RESISTANCE

#### Page 1 Of 3 © Honeywell International Inc.

#### JUNKYARD DOG - 2032101

Kevlar® offers excellent cutting and thermal resistance in a dry environment. The cowhide split leather reinforcement at the palm strengthens the glove's mechanical protection.

# **Technical Description**

#### Description

CE CATEGORY : II Intermediary risks In accordance with standards : EN 420-94 EEC Basic standards EN 388-94 Mechanical hazards

#### CHARACTERISTICS :

100% Kevlar® knitted glove Cowhide split leather reinforcement on palm and fingers

#### **Product Technology**

Cut and Sewn

Gauge

7

#### Coating Type Kevlar® and leather

Length 25,5 cm

#### Thickness

1,1/1,3 mm

Harmlessness In conformity with the European standards

Dexterity

# Class 5

Sizes

7, 9 and 10

# EN 388 - Mechanical Hazards Abrasion Resistance

Abrasion resistance	4
Cutting resistance (Coupe test)	4
Tear resistance	4
Puncture resistance	3

# Packaging Label

**Tagging** CE HONEYWELL 2032101 XX EN 420 EN 388 : 4443

#### **Certifications**

### E.C. Declaration of Conformity

**EC Category PPE** 

2

Quality Assurance ISO 9001 / 2000

EC Certificate Number 0075/797/162/03/08/0068

EC Attestation EC Attestation

**EC** Attestation Number

### **Additional Information**

User Manual UI 102 User Information Sheet 102

### Maintenance

**Storage Information** Minimum packaging 10 pairs. Cartons of 100 pairs.

#### **Care Instructions**

In order to keep its properties, this article should not be cleaned.

© Honeywell International Inc.