

EU TYPE-EXAMINATION CERTIFICATE

according to Article 19 (c) of Regulation (EU) 2016/425 of the European Parliament and of the Council

No. 1019-193/Q/2024

Name of product: **1200307 (KF7T2000NR) - Work positioning lanyard, derived variants 1200311, 1200312, 1200313, 1200314, 1200315, 1200316, 1200317, 1200324, 5009127, 5009129, 5009130, 5009135, 5009136**

PPE category: **III.**

Manufacturer: **CAPITAL SAFETY GROUP - Banská Bystrica, s.r.o.
Jegorovova 35
974 01 Banská Bystrica
Slovakia**

Applied standards and/or technical specifications: **ČSN EN 358:2019 (identical to EN 358:2018)
ČSN EN 365:2005 (identical to EN 365:2004)**

Base for issue of certificate: **Evaluation Report No. 1019-021858/2024 (integral part of this certificate)**

Conditions of validity: **Certificate shall only be used in conjunction with one of the conformity assessment procedures referred to Article 19 (c) point (i) or (ii) of Regulation (EU) 2016/425 of the European Parliament and of the Council.**

Validity of certificate till: **May 2, 2029**


Number of appendices: **1**

VVUU, a.s. hereby certifies that the sample of the product mentioned above meets all the relevant essential health and safety requirements of Annex II of the Regulation (EU) 2016/425 of the European Parliament and of the Council.



May 3, 2024

Date of issue



Tomáš Dorazil

Deputy Director NB 1019

Duplication of only parts of this document is subject to the approval of VVUU, a.s., NB 1019, Ostrava-Radvanice, Czech Republic.

Description of product

See Appendix No. 1

Picture of product

See Appendix No. 1

APPENDIX No. 1 TO EU TYPE-EXAMINATION CERTIFICATE No. 1019-193/Q/2024

Product: **1200307 (KF7T2000NR) - Work positioning lanyard, derived variants 1200311, 1200312, 1200313, 1200316, 1200324**

Description of product

Composition of product:	metal element - TRIGGER ^{NG} ; lanyard - rope, rope cover (only variant 1200312 without rope cover); 2 pcs of connectors (2 types, EN 362); thimble for rope (plastic)
Lanyard:	low stretch kernmantel rope (PAD, diameter of rope: 11.0 mm)
Thread:	PAD, in contrasting colour to colour of rope
Max. loading:	140 kg
Trademark:	3M, DBI SALA

Type	Type of connectors	Total length
1200307/KF7T2000NR	1x AJ514/01, 1x AJ567/0	2.0 m
1200311	1x AJ547/0, 1x AJ523/0	5.0 m
1200312	1x AJ547/0, 1x AJ567/0	5.0 m
1200313	1x AJ547/0, 1x AJ567/0	2.0 m
1200316	1x AJ547/0, 1x AJ567/0	10.0 m
1200324	1x AJ547/0, 1x AJ567/0	2.5 m

Picture of product



„1200307 (KF7T2000NR) - Work positioning lanyard“

Product: Work positioning lanyard, derived variants 1200314, 1200315, 1200317, 5009127, 5009129, 5009130, 5009135, 5009136

Description of product

Composition of product:	metal element - TRIGGER ^{NC} ; lanyard - rope (variants 1200314, 1200315, 1200317, 5009127 without rope cover); 2 pcs of connectors (2 types, EN 362); thimble for rope (steel)
Lanyard:	low stretch kernmantel rope (PAD, diameter of rope: 10.5 mm)
Thread:	PAD, in contrasting colour to colour of rope
Max. loading:	140 kg
Trademark:	3M, Protecta

Type	Type of connectors	Total length
1200314	1x AJ523/0, 1x AJ572/0	2.0 m
1200315	1x AJ523/0, 1x AJ572/0	4.0 m
1200317	1x AJ523/0, 1x AJ572/0	3.0 m
5009127	1x AJ501/0, 1x AJ595/0	1.5 m
5009129	1x AJ514/0, 1x 9509437	2.0 m
5009130	1x AJ514/0, 1x 9509437	2.0 m
5009135	1x AJ514/0, 1x AJ595/0	3.0 m
5009136	1x AJ514/0, 1x AJ595/0	2.0 m

Picture of product



„5009129 - Work positioning lanyard“

May 3, 2024

Date of issue



Tomáš Dorazil

Deputy Director NB 1019