


NLG Small D Ring Tool Tether

Product Code:
101361

Max Load:
1 KG / 2.2 LBS



OVERVIEW

The Small D Ring Tool Tether is an easy-to-use tether point designed with small hand tools in mind. As part of our Instant Tether System™ when paired with Tether Tape™ it is easily fitted to tools to create a secure tether point to attach a tool lanyard.

VIEW ONLINE

<https://neverletgo.com/products/small-d-ring-tool-tether/>



NLG ID™ Serialised and safe

Simply scan the NLG ID tag with your phone to instantly access certificates, instruction videos and log inspections. (See Specification if included).



Third-party tested and certified

Independent laboratory load testing certificates and Declarations of Conformity are available on request. Please contact team@neverletgo.com.

DESCRIPTION

NLG D Ring Tool Tethers form part of NLG's unique Instant Tether System™ for stopping dropped objects and are well established as the preferred option for workers at height. They can be retrofitted to almost any tool avoiding the unnecessary expense of buying new tools or the associated downtime of sending tools off-site to be adapted for tethering. When used with Tether Tape™, the NLG D Ring Tether Points provide a solution to a multitude of tools commonly used at work – pliers, scaffold spanners, nips, chisels, knives etc – in fact, almost any hand tool up to a maximum weight limit of 1kg if using the Small D Ring Tool Tether, or up to 3kg when using the Large D Ring Tool Tether. As an integral part of a tool kit, the NLG D-Ring Tether and Tether Tape™ provide a versatile and quick solution to keep tools safe when working at height and means that no worker will have to waste time again on site through a lack of correctly tethered tools.

FEATURES

High-strength welded D Ring and durable wear-resistant webbing
 Extra deep catch design for ultimate security
 Faster visual inspections with contrast stitching
 Designed to be paired with Tether Tape™ as part of the NLG Instant Tether System™

TECHNICAL SPECIFICATION

Max Load: 1 KG / 2.2 LBS
 Safety Standards: ANSI/ISEA 121-2018, CE / UKCA, NS 9611:2022+AC
 Load Tested and Third-party Certified: Dynamic (2:1 Safety Factor)
 NLG ID™ Technology / Scannable Compatible
 Unique Serial Number
 Dimensions: 60mm (L) x 12mm (W)
 Max Lanyard Length: 200 CM / 78 IN

RETAIL

EAN (GTIN-13)
 5060572180055

UNIT WEIGHT (G)
 12

SHIPPING

HS CODE
 6307.90.9899

COUNTRY OF ORIGIN
 Poland



Small D Ring Tool Tether

Product Code: 101361

View online

<https://neverletgo.com/products/small-d-ring-tool-tether/>

Learn more about:

[Dropped object prevention](#)

[Tool tethering](#)

[Tool lanyards](#)

Useful resources:

[Tool Box](#)

[Tool Tether Guide](#)

[Library](#)

CONTACT

+44 (0)330 016 0030

neverletgo.com

INSPECTION

In addition to routine checks before each use, all equipment should undergo regular detailed inspections, conducted and recorded by a competent person using the NLG Inspection Checklist. If any part is worn or shows signs of degradation, immediately retire from service. In the event of a drop, quarantine the equipment for a thorough inspection.

[Click to download Inspection Checklist](#)

LEGAL

NLG makes every effort to ensure the information in this Datasheet is accurate and current. However, NLG reserves the right to change the product specification when necessary. NLG cannot be held responsible for any inaccuracies or omissions.

Copyright © 2023. NLG® and Never Let Go® are registered trademarks.
