

# NLG 360 D Ring Loop Tool Tether

Product Code:  
101363

Max Load:  
3 KG / 6.6 LBS



## OVERVIEW

The 360 D Ring Loop Tool Tether is a quick and easy way to create a secure tether point on small tools with a captive hole. Utilising a robust 360° rotating D Ring, it creates a tangle-free solution that removes the frustration that comes with a twisted lanyard.

## VIEW ONLINE

<https://neverletgo.com/products/360-d-ring-loop-tool-tether/>



NLG ID™  
Serialised and safe

Simply scan the NLG ID tag with your phone to instantly access certificates, instruction videos and log inspections. (See Specification if included).



Third-party  
tested and certified

Independent laboratory load testing certificates and Declarations of Conformity are available on request. Please contact [team@neverletgo.com](mailto:team@neverletgo.com).

DESCRIPTION	<p>NLG's 360 D Ring Loop Tool Tether is the no-fuss option – create a tether point on any tool with a captive hole or handle and cinch it around the tool itself. Whatever method is used, a secure tether point is made in seconds. As part of NLG's unique tool tethering system, tools can be prepared off-site for immediate connection to an approved tool lanyard once on site.</p> <p>Simple but effective as a retrofit device, the NLG 360 D-Ring allows tools to rotate through 360 degrees with its anti-tangle swivel. This avoids the frustration of twisted lanyards found with many tool tethering options on the market today and simultaneously improves productivity.</p> <p>The NLG 360 D Ring creates a professional solution that is certified and third-party tested and suitable for tools up to 3kg in weight – the height worker's true friend.</p>	
FEATURES	<p>Robust, tangle-free 360° D Ring                  Rugged climbing cord loop allows for quick cinching                  Faster visual inspections with contrast stitching</p>	
TECHNICAL SPECIFICATION	<p>Max Load: 3 KG / 6.6 LBS                  Safety Standards: ANSI/ISEA 121-2018, CE / UKCA, NS 9611:2022+AC                  Load Tested and Third-party Certified: Dynamic (2:1 Safety Factor)                  NLG ID™ Technology / Scannable Compatible                  Unique Serial Number                  Dimensions: 200mm (L) x 25mm (W)                  Max Lanyard Length: 200 CM / 78 IN</p>	
RETAIL	<p><b>EAN (GTIN-13)</b>                  5060572180109</p>	<p><b>UNIT WEIGHT (G)</b>                  28</p>
SHIPPING	<p><b>HS CODE</b>                  5609.00.0000</p>	<p><b>COUNTRY OF ORIGIN</b>                  Poland</p>



## 360 D Ring Loop Tool Tether

Product Code: 101363

---

View online

<https://neverletgo.com/products/360-d-ring-loop-tool-tether/>

Learn more about:

[Dropped object prevention](#)

[Tool tethering](#)

[Tool lanyards](#)

Useful resources:

[Tool Box](#)

[Tool Tether Guide](#)

[Library](#)

---

### CONTACT

+44 (0)330 016 0030

[neverletgo.com](https://neverletgo.com)

---

### INSPECTION

In addition to routine checks before each use, all equipment should undergo regular detailed inspections, conducted and recorded by a competent person using the NLG Inspection Checklist. If any part is worn or shows signs of degradation, immediately retire from service. In the event of a drop, quarantine the equipment for a thorough inspection.

[Click to download Inspection Checklist](#)

---

### LEGAL

NLG makes every effort to ensure the information in this Datasheet is accurate and current. However, NLG reserves the right to change the product specification when necessary. NLG cannot be held responsible for any inaccuracies or omissions.

Copyright © 2023. NLG® and Never Let Go® are registered trademarks.

---