

### NLG Tool Holster Product Code: 101470 Max Load: 5 KG / 11 LBS



#### OVERVIEW

The NLG Tool Holster is a versatile storage solution for commonly used tools whilst working at height. Featuring 2x load-rated anchor points and a unique Magnox<sup>™</sup> magnetic plate, the NLG Tool Holster is designed to keep your tools secure and easily accessible.

#### VIEW ONLINE

https://neverletgo.com/products/tool-holster/



## NLG **ID**<sup>™</sup> Serialised and safe

Simply scan the NLG ID tag with your phone to instantly access certificates, instruction videos and log inspections. (See Specification if included).



# Third-party tested and certified

Independent laboratory load testing certificates and Declarations of Conformity are available on request. Please contact team@neverletgo.com.

DESCRIPTION	used at height. With two load-rated anchor po unique Magnox™ magnetic pla holster becoming inverted, the those using hand tools when w	clips on the rear of the holster allow it to be
FEATURES	Unique Magnox™ magnetic plate holds the tool in place and ensures added security 2 Integrated anchor points for convenient tool lanyard attachment Universal fit with Quick Connect™ buckles for easy attachment	
TECHNICAL SPECIFICATION	Max Load: 5 KG / 11 LBS, Internal Anchor Point / Daisy Chain Max Load: 5 KG / 11 LBS (each) Safety Standards: ANSI/ISEA 121-2018, CE / UKCA, NS 9611:2022+AC Load Tested and Third-party Certified: Dynamic (2:1 Safety Factor) NLG ID™ Technology / Scannable Compatible Unique Serial Number Dimensions: 22cm (H) x 10cm (W) x 7cm (D) Max Lanyard Length: 200 CM / 78 IN	
RETAIL	EAN (GTIN-13) 5060572180543	UNIT WEIGHT (G) 315
SHIPPING	HS CODE 4202.92.9890	COUNTRY OF ORIGIN Taiwan



Tool Holster Product Code: 101470

View online https://neverletgo.com/products/tool-hol ster/

Learn more about: Dropped object prevention Tool tethering Tool lanyards

Useful resources: Tool Box Tool Tether Guide Library

CONTACT	+44 (0)330 016 0030 neverletgo.com
INSPECTION	In addition to routine checks before each use, all equipment should undergo regular detailed inspections, conducted and recorded by a competent person using the NLG Inspection Checklist. If any part is worn or shows signs of degradation, immediately retire from service. In the event of a drop, quarantine the equipment for a thorough inspection.
LEGAL	NLG makes every effort to ensure the information in this Datasheet is accurate and current. However, NLG reserves the right to change the product specification when necessary. NLG cannot be held responsible for any inaccuracies or omissions. Copyright © 2023. NLG ° and Never Let Go ° are registered trademarks.